

HECO

Concerto Grosso



HECO

Concerto Grosso



HECO

Concerto Grosso



HECO

Concerto Grosso



HECO

Concerto Grosso

Drivers


- Selected High Energy Tweeter with 30 mm Polyfiber Compound dome (PFC dome), aluminium front plate with Wave Control Horn and double magnet system
- Elaborately designed midrange with AlNiCo magnet system, light paper/wool cone, coated fabric surround with extremely low losses and 25 mm voice coil
- Front woofer-midrange optimized for its reproduction range with reinforced kraft paper cone, inverse kraft paper dust cap for additional stabilisation, low-loss rubber surround and 32 mm high-performance voice-coil
- Side-firing long-throw high-power woofer optimized for the very low bass with extremely sturdy kraft paper cone, inverse kraft paper dust cap for additional stabilisation, long-throw rubber surround and 50 mm high-performance voice-coil
- Woofer, woofer-midrange and midrange with solid aluminium die-cast basket and Klippel®-linearized magnet system for very low distortion

Cabinet

- Noble high-gloss lacquer finish
- Very solid construction using MDF panels and elaborated struttings, fitted side panels for subwoofer and bass radiator which ensures optimum low-resonance properties
- Open, compression free midrange chamber with complex, aperiodic damping
- High-end sidefire bass radiator construction for an extended bass range totally free of disruptive flow noise
- Adjustable metal spikes with metal washers or rubber spikes for sensitive floors

Crossover

- Elaborated, phase- and impedance-optimized crossover with high-quality exacting tolerance components
- Tweeter level adjustment ‚linear‘ / ‚2dB‘ and midrange adjustment ‚2dB‘ / ‚linear‘ for optimum adaptation to individual room acoustics and as well as to personal taste
- High-quality terminal with solid gold-plated screw connectors on a solid aluminium plate
- Several connecting options (bi-wiring / -bi-amping / tri-wiring / tri-amping) with the supplied cable bridge



HECO

Concerto Grosso

Concerto Grosso

Principle	4 way bass reflex
Equipment	12" woofer - sidefire 12" passive radiator – sidefire 8" woofer-midrange 6.5" midrange 1" dome-tweeter
Power handling (RMS/max.)	325 / 550 watts
Impedance	4 - 8 Ω
Frequency response	16 – 52.000 Hz
Crossover frequencies	110 Hz, 580 Hz, 3.100 Hz
Recommended Amplifier Output	30 - 550 watts
Sensitivity	92 dB
Cabinet surface	Piano Black
Dimensions (WxHxD) (excl. Spikes)	324 x 1352 x 617 mm
Weight	63,1 kg

Conterto Grosso

Piano Black (rights Box) Art. No.: 135 0800 • EAN: 40 29678 50800 3

Piano Black (left Box) Art. No.: 135 0800 L • EAN:40 29678 08008 0